



Enabler Test Report Broadcast (BCAST) v1.0

OMA TestFest (November 2007)
Version 23rd November 2007

Open Mobile Alliance
OMA-EnablerTestReport-TestFest-21-Nov2007-BCAST-10-20071123

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Use of this document is subject to all of the terms and conditions of the Use Agreement located at <http://www.openmobilealliance.org/UseAgreement.html>.

Unless this document is clearly designated as an approved specification, this document is a work in process, is not an approved Open Mobile Alliance™ specification, and is subject to revision or removal without notice.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. Information contained in this document may be used, at your sole risk, for any purposes. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance. The Open Mobile Alliance authorizes you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services. The Open Mobile Alliance assumes no responsibility for errors or omissions in this document.

Each Open Mobile Alliance member has agreed to use reasonable endeavors to inform the Open Mobile Alliance in a timely manner of Essential IPR as it becomes aware that the Essential IPR is related to the prepared or published specification. However, the members do not have an obligation to conduct IPR searches. The declared Essential IPR is publicly available to members and non-members of the Open Mobile Alliance and may be found on the “OMA IPR Declarations” list at <http://www.openmobilealliance.org/ipr.html>. The Open Mobile Alliance has not conducted an independent IPR review of this document and the information contained herein, and makes no representations or warranties regarding third party IPR, including without limitation patents, copyrights or trade secret rights. This document may contain inventions for which you must obtain licenses from third parties before making, using or selling the inventions. Defined terms above are set forth in the schedule to the Open Mobile Alliance Application Form.

NO REPRESENTATIONS OR WARRANTIES (WHETHER EXPRESS OR IMPLIED) ARE MADE BY THE OPEN MOBILE ALLIANCE OR ANY OPEN MOBILE ALLIANCE MEMBER OR ITS AFFILIATES REGARDING ANY OF THE IPR'S REPRESENTED ON THE “OMA IPR DECLARATIONS” LIST, INCLUDING, BUT NOT LIMITED TO THE ACCURACY, COMPLETENESS, VALIDITY OR RELEVANCE OF THE INFORMATION OR WHETHER OR NOT SUCH RIGHTS ARE ESSENTIAL OR NON-ESSENTIAL.

THE OPEN MOBILE ALLIANCE IS NOT LIABLE FOR AND HEREBY DISCLAIMS ANY DIRECT, INDIRECT, PUNITIVE, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE USE OF DOCUMENTS AND THE INFORMATION CONTAINED IN THE DOCUMENTS.

© 2007 Open Mobile Alliance Ltd. All Rights Reserved.

Used with the permission of the Open Mobile Alliance Ltd. under the terms set forth above.

Contents

1. SCOPE	4
2. REFERENCES.....	5
2.1 NORMATIVE REFERENCES	5
2.2 INFORMATIVE REFERENCES	5
3. TERMINOLOGY AND CONVENTIONS	6
3.1 CONVENTIONS	6
3.2 DEFINITIONS	6
3.3 ABBREVIATIONS	6
4. SUMMARY	7
5. TEST DETAILS.....	8
5.1 DOCUMENTATION.....	8
5.2 TEST CASE STATISTICS	10
5.2.1 Test Case Summary.....	10
5.2.2 Test Case List.....	11
Table 2. Test Case Counts	23
5.3 PROBLEM REPORTS.....	24
6. CONFIRMATION	25
APPENDIX A. CHANGE HISTORY (INFORMATIVE)	26

1. Scope

This report describes the results from the testing carried out at OMA TestFest-21 (November 2007) concerning the Broadcast Version 1.0 Enabler.

2. References

2.1 Normative References

- [IOPPROC] “OMA Interoperability Policy and Process”, Version 1.4, Open Mobile Alliance™, OMA-ORG-IOP_Process-V1_4, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [RFC2119] “Key words for use in RFCs to Indicate Requirement Levels”, S. Bradner, March 1997, [URL:http://www.ietf.org/rfc/rfc2119.txt](http://www.ietf.org/rfc/rfc2119.txt)
- [ERELD] Enabler Release Definition, OMA-ERELD-BCAST-V1_0-20070529-C, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [BCAST_SPEC] Enabler Release Package, OMA-ERP-BCAST-V1_0-20070529-C, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [ETS] Enabler Test Specification OMA-ETS-BCAST_INT-V1_0-20070807-C, [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [EVP] Enabler Validation Plan OMA-EVP-BCAST-V1_0-20070807-C; [URL:http://www.openmobilealliance.org/](http://www.openmobilealliance.org/)
- [BCAST_EICS] BCAST version 1.0 Enabler Implementation Conformance Statement (EICS), <http://www.openmobilealliance.org/>

2.2 Informative References

- [OMADICT] Dictionary for OMA Specification, OMA-Dictionary <http://www.openmobilealliance.org/>

3. Terminology and Conventions

3.1 Conventions

This is an informative document which is not intended to provide testable requirements to implementations, i.e. the document does not intend to contain normative statements.

3.2 Definitions

TestFest	Multi-lateral interoperability testing event
Trusted Zone	An OMA staff function to provide a neutral confidential information and results collection service to OMA Members. The Trusted Zone is responsible for all reports resulting from an OMA Test Event and to ensure that all general reports cannot attributed to any one individual participating company

3.3 Abbreviations

EICS	Enabler Implementation Conformance Statement
ERELED	Enabler Release Definition
ERP	Enabler Release Package
EVP	Enabler Validation Plan
ETS	Enabler Test Specification
IMPS	Instant Messaging Presence Service
INC	Inconclusive
N/A	Not Applicable
OMA	Open Mobile Alliance
OT	Out of Time
PR	Problem Report
TC	Test Case

4. Summary

This report gives details of the testing carried out during the OMA TestFest-21 (November 2007) for Broadcast (BCAST) v1.0.

The report is compiled on behalf of OMA by the OMA Trusted Zone.

The work and reporting has followed the OMA IOP processes and policies [IOPPROC].

5. Test Details

5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

Date:	9 th to 16 th November
Location:	Bled, Slovenia
Enabler:	Broadcast (BCAST) v1.0
Process:	OMA Interoperability Policy and Process [IOPPROC]
Type of Testing	Interoperability Testing
Products tested:	Client-to-Server, Client-to-Smartcard-to-Server-to-BSF
Test Guidelines:	BCAST 1.0 Enabler Test Guidelines - OMA-EVP-BCAST-V1_0-20070807-C [EVP]
Test Specification:	BCAST Enabler Test Specification - OMA-ETS-BCAST_INT-V1_0-20070807-C [ETS]
Test Tool:	None
Test Code:	None
Type of Test event:	TestFest
Participants:	Discretix, Expway, LG Electronics, Gemalto N.V, NagraVision, NDS TI, Nokia, Thomson, Apertio Germany AG, NSN <i>plus one other Participant</i>
Number of Client Implementations:	4
Participating Technology Providers for clients:	Discretix, Expway, LG Electronics <i>plus one other Participant</i>
Implementation IDs for each client:	Discretix MobileTV Secure Client, FastESG Client BCast Edition, LG BCAST Client <i>plus one other client.</i>
Number of Smartcard Implementations:	1
Participating Technology Providers for Smartcards:	Gemalto N.V
Implementation IDs for each Smartcard:	Gemalto BCAST card
Number of Server Implementations:	5
Participating Technology Providers for servers:	Expway, NagraVision, NDS TI, Nokia, Thomson
Implementation IDs for each server:	FastESG Server BCast Edition, Nagra mobile TV SCP, VideoGuard BCAST server, MBS, THOMSON BCAST Server

Number of BSF Implementations:	2
Participating Technology Providers for BSFs:	Apertio Germany AG, Nokia Siemens Networks
Implementation IDs for each BSF:	NeMIP BSF, Unified Attachment Node
Number of test sessions completed:	18

5.2 Test Case Statistics

5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- Total number of TCs: Used in the summary to indicate how many test cases there are in total.
- Number of passed: Used in the summary to indicate how many of the total testcases that successfully has been passed.
- Number of failed: Used in the summary to indicate how many of the total testcases that has failed.
- Number of N/A: Used in the summary to indicate how many of the total testcases that has not be run due to that the implementation(s) do not support the functionality required to run this test case.
- Number of OT: Used in the summary to indicate how many of the total testcases that has not be run due to no time to run the test case.
- Number of INC: Used in the summary to indicate how many of the total testcases that has not been run due to that the functionality could not be tested due to an error in the implementation in another functionality that is required to run this test case.

Test Section:	Number of test sessions:	Total number of TCs:	Number of Passed:	Number of Failed:	Number of N/A:	Number of OT:	Number of INC:	Total:
Client TCs	18	15	6	0	44	0	2	52
Clients to Server TCs	18	23	62	0	73	21	1	157
Client to Smartcard to Server TCs	18	57	37	0	36	439	1	513
Total	18	95	105	0	153	460	4	722

Table 1. Test Summary Table

5.2.2 Test Case List

This chapter lists the statistics for all all interoperability test cases included in [ETS].

The following status is used in the tables below:

- **Runs (R):** Used to indicate the total number of times the test case have been run ($R = P + F + I$).
- **Pass (P):** Used to indicate how many times the test case have been run and successfully passed.
- **Fail (F):** Used to indicate how many times the test cases have been run and failed (used when the failure reason is known).
- **Inconclusive (I):** Used to indicate how many times the test cases have been run and did not pass due to other nature than conclusive implementation or specification failure (e.g.: the failure reason cannot be clearly determined).
- **Not Applicable (N/A):** Used to indicate how many times the test cases have not be run due to lack of support for the required functionality to run this test case by one or more involved implementations.
- **Out of Time (O):** Used to indicate how many times the test cases have not been run due to lack of time.
- **Problem Report (PR):** Used to indicate how many PRs have been issued for the test case.
- **Note:** Used to indicate the cause of the Inconclusive or Failed results.

Tests for BROADCAST Enabler TestFest taken from OMA-ETS-BCAST_INT-V1_0-20070807-C.doc

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-101	Bootstrapping a service with content. Associating content with service. This test case also tests that the reception of the SG is performed correctly.	2	2	0	4	0	3		
BCAST-1.0-DIST-int-102	Use Web portal URL in Purchase fragment of Service Guide to provide entry point for web based provisioning.	1	1	0	5	0	3		
BCAST-1.0-DIST-int-103	Updating description of content. This test case also tests that the update of the SG is performed correctly – Broadcast channel.	8	8	0	0	0	0		
BCAST-1.0-DIST-int-104	Updating description of content. This test case also tests that the update of the SG is performed correctly – Interaction channel.	0	0	0	0	0	8		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-105	Applying the associated access and session description parameters with content – Broadcast channel.	8	8	0	0	0	0		
BCAST-1.0-DIST-int-106	Applying the associated access and session description parameters with content – Interaction channel.	0	0	0	0	0	8		
BCAST-1.0-DIST-int-107	Testing the case where the SGDU is GZIP compressed.	8	8	0	0	0	0		
BCAST-1.0-DIST-int-108	Associating content with service.	8	7	0	0	1	0		
BCAST-1.0-DIST-int-109	Associating preview data with service.	8	8	0	0	0	0		
BCAST-1.0-DIST-int-110	Associating preview data with service.	0	0	0	0	0	8		
BCAST-1.0-DIST-int-111	Applying the associated access and session description parameters with content choose the correct parameters for a specific choice of language.	0	0	0	0	0	8		
BCAST-1.0-DIST-int-112	Associating Service with provisioning information and applying the latter for subscription.	0	0	0	0	0	4		
BCAST-1.0-DIST-int-201	To test the support of ALC and the interpretation of the file description information on the Service Guide	2	0	0	0	2	4	0017	
BCAST-1.0-DIST-int-202	To test the support of the in-band delivery of the metadata associated with file distributed using FLUTE	2	2	0	0	0	3		
BCAST-1.0-DIST-int-203	To test the support of the delivery of a file using http over the interaction channel	0	0	0	0	0	5		
BCAST-1.0-DIST-int-204	The purpose of this test is to test the support of the FEC encoding ID 1 scheme	0	0	0	0	0	5		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-205	The purpose of this test is to test if the file repair is correctly performed	0	0	0	0	0	5		
BCAST-1.0-DIST-int-206	The purpose of this test the report of the reception of a successful download	0	0	0	0	0	5		
BCAST-1.0-DIST-int-207	The purpose of this test is to test the report of the SDP handling and control with RTSP	0	0	0	0	0	5		
BCAST-1.0-DIST-int-208	The purpose of this test is to test the supports of RTP as a transport protocol for streaming distribution over the broadcast channel	4	4	0	0	0	0		
BCAST-1.0-DIST-int-209	The purpose of this test is to test the support of RTP as a transport protocol for streaming distribution on the interactive channel using SDP	0	0	0	0	0	4		
BCAST-1.0-DIST-int-210	The purpose of this test is to test the support of RTP as a transport protocol for streaming distribution over the interactive channel using HTTP and out-of-band signalling	0	0	0	0	0	4		
BCAST-1.0-DIST-int-211	The purpose of this test is to test the support of the streaming associated procedure	0	0	0	0	0	4		
BCAST-1.0-DIST-int-301	Associating content with interactivity. Reception of InteractivityMediaDocuments over broadcast file distribution. XHTML MP as an interaction method.	6	6	0	0	0	1		
BCAST-1.0-DIST-int-302	Associating content with interactivity. Retrieval of InteractivityMediaDocuments over interaction channel. XHTML MP as an interaction method.	0	0	0	0	0	6		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-303	Associating content with interactivity. Reception of InteractivityMediaDocuments over broadcast file distribution. SMS as an interaction method.	6	6	0	0	0	1		
BCAST-1.0-DIST-int-304	Associating content with interactivity. Retrieval of InteractivityMediaDocuments over interaction channel. SMS as an interaction method.	0	0	0	0	0	6		
BCAST-1.0-DIST-int-305	Associating content with interactivity. Reception of InteractivityMediaDocuments over broadcast file distribution. MMS as an interaction method.	0	0	0	0	0	7		
BCAST-1.0-DIST-int-306	Associating content with interactivity. Retrieval of InteractivityMediaDocuments over interaction channel. MMS as an interaction method.	0	0	0	0	0	6		
BCAST-1.0-DIST-int-401	Opening an Ipsec encrypted stream with key material associated to the subscription.	0	0	0	0	0	2		
BCAST-1.0-DIST-int-402	Opening an SRTP encrypted stream with key material associated to the subscription.	0	0	0	0	0	2		
BCAST-1.0-DIST-int-403	Opening an ISMACrypt encrypted stream with key material associated to the subscription.	0	0	0	2	0	0		
BCAST-1.0-DIST-int-404	Test that GBA bootstrapping with the BSM is successfully achieved. Test that the SRK is correctly generated in the terminal	6	6	0	3	0	0		
BCAST-1.0-DIST-int-405	Test that SQN error is detected by the terminal during a GBA bootstrapping	0	0	0	5	0	4		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-406	Test that correct behaviour is observed when bootstrapping data has expired. Test that a new SRK is correctly generated in the terminal	2	2	0	7	0	0		
BCAST-1.0-DIST-int-407	Test that bootstrapping will not succeed when a different secret key K has been provisioned on the terminal and the server.	1	1	0	8	0	0		
BCAST-1.0-DIST-int-408	Test that a deregistration flow can be processed by the server and terminal.	5	5	0	4	0	0		
BCAST-1.0-DIST-int-409	Test that a deregistration flow can be processed by the server and terminal when bootstrapping is required.	3	3	0	6	0	0		
BCAST-1.0-DIST-int-410	Test that SMK and SRK derivation from pre-provisioned SCK in the terminal are successful.	4	4	0	4	0	1		
BCAST-1.0-DIST-int-411	Test that an LTKM can be successfully received over UDP at the smartcard which sends a verification message.	3	3	0	6	0	0		
BCAST-1.0-DIST-int-412	Test that an LTKM can be successfully requested by the terminal and successfully be delivered over UDP at the terminal / smartcard and send a verification message.	3	3	0	6	0	0		
BCAST-1.0-DIST-int-413	Test that the BSM solicited pull procedure is correctly understood by the terminal and that the terminal is then able to request the LTKM update.	0	0	0	6	0	3		Note 001
BCAST-1.0-DIST-int-414	Test that the BSM solicited pull procedure initiation over SMS bearer is correctly understood by the terminal and that the terminal is then able to request the LTKM update.	0	0	0	6	0	3		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-415	Test that an LTKM with EXT BCAST field can be successfully received over UDP at the terminal / smartcard and a verification message is sent.	3	2	0	6	1	0		
BCAST-1.0-DIST-int-416	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-417	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-418	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-419	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-420	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-421	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-422	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-423	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-424	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-425	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-426	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-427	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-428	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-429	Test that the BSM receives a verification message when a BSM pushes an LTKM message to the terminal/Smartcard. (See BCAST-1.0-DIST-int-415)	0	0	0	9	0	0		
BCAST-1.0-DIST-int-430	Test that the Smartcard correctly parses STKMs	2	2	0	7	0	0		
BCAST-1.0-DIST-int-431	Test that the Smartcard correctly parses STKMs	2	2	0	7	0	0		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-432	Test that an STKM cannot be processed by the smartcard and the TEK isn't returned.	1	1	0	8	0	0		
BCAST-1.0-DIST-int-433	Test that an STKM cannot be processed by the smartcard and the TEK isn't returned.	2	2	0	7	0	0		
BCAST-1.0-DIST-int-434	Test that an LTKM delivery protected with invalid validity data cannot be used by the terminal	2	2	0	7	0	0		
BCAST-1.0-DIST-int-435	Test that an STKM cannot be processed by the smartcard and the TEK isn't returned.	0	0	0	9	0	0		
BCAST-1.0-DIST-int-436	Test that an STKM cannot be processed by the smartcard when the SEK/PEK has been invalidated and that the TEK isn't returned.	0	0	0	9	0	0		
BCAST-1.0-DIST-int-437	Test that an STKM cannot be processed by the smartcard and the TEK isn't returned.	0	0	0	9	0	0		
BCAST-1.0-DIST-int-438	Test that an STKM cannot be processed by the smartcard and the TEK isn't returned.	0	0	0	9	0	0		
BCAST-1.0-DIST-int-439	BSM / BSDA sends an LTKM with the security policy extension 0x0A to delete keys associated to the given SEK/PEK ID.	0	0	0	8	0	1		
BCAST-1.0-DIST-int-440	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-441	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-442	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-443	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-444	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-445	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-446	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-447	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-448	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-449	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-450	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-451	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-452	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-453	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-454	BSM / BSDA deliberately sends an STKM already sent to the terminal / smartcard (32-bit counter timestamp field has previously been used). Repeat STKM is not detected by the terminal and sent to the Smartcard. Depending on LTKM security_policy_extension value, smartcard accepts or rejects the STKM (replay allowed or not)	0	0	0	8	0	1		
BCAST-1.0-DIST-int-455	BSM / BSDA sends several identical STKMs to the terminal / smartcard with the same TEK (MTK ID field in MIKEY EXT payload is the same) and the same TS. Ensure repeat STKM is detected by the terminal and STKM is not sent to the smartcard.	0	0	0	8	0	1		
BCAST-1.0-DIST-int-456	BSM / BSDA sends several STKMs to the terminal / smartcard with different parental rating-value	0	0	0	8	0	1		
BCAST-1.0-DIST-int-457	BSM / BSDA sends several STKMs to the terminal / smartcard with different parental rating-value	0	0	0	8	0	1		
BCAST-1.0-DIST-int-458	Test that video and audio streams protected with same STKM stream can be processed..	3	3	0	6	0	0		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
BCAST-1.0-DIST-int-459	Test that video and audio streams protected with different STKM streams can only be accessed when both streams are available.	1	1	0	8	0	0		
BCAST-1.0-DIST-int-460	Opening an Ipsec encrypted stream with key material associated to the subscription.	0	0	0	6	0	3		
BCAST-1.0-DIST-int-461	Opening an SRTP encrypted stream with key material associated to the subscription.	1	1	0	6	0	2		
BCAST-1.0-DIST-int-462	Opening an ISMACrypt encrypted stream with key material associated to the subscription.	2	2	0	6	0	1		
BCAST-1.0-DIST-int-501	The purpose of this test is to check that the terminal correctly receives provisioning messages using TP-7 over the interactive channel.	0	0	0	0	0	0		
BCAST-1.0-DIST-int-502	The purpose of this test is to check that the terminal correctly receives an update of an provisioning messages using TP-7 over the interactive channel.	0	0	0	0	0	0		
BCAST-1.0-DIST-int-503	The purpose of this test is to check that the terminal declares the Terminal Provisioning as a Service within Service Guide correctly and the fragments are correctly send to the tool and checked.	0	0	0	0	0	0		
BCAST-1.0-DIST-int-504	The purpose of this test is to check that the terminal declares the Terminal Provisioning as an access of a Service within Service Guide correctly and the fragments are correctly send to the tool and checked.	0	0	0	0	0	0		

Table 2. Test Case Counts

Notes:-

001	According to the current specification the client has no way to know the NAF url to which the request should be sent. In 7/11/2007 spec this issue is solved.
------------	---

5.3 Problem Reports

During the activities for TestFest-21, the following problem reports were generated relating to the test materials and test process:

PR Number	Affecting	Description	Test Case reference / Specification reference
0016	OMA-ETS-BCAST_INT-V1_0-20070724-D	[SG] Unspecified behavior with missing MIMEType for inlined Pictures in Preview Fragment.	Test Specification section 5.1.2.9
0017	OMA-ETS-BCAST_INT-V1_0-20070724-D	Request for clarification in the usage of EXT_CENC for signaling compression of FLUTE objects in SG	Test Specification section 5.4.1.5.2. BCAST-1.0-DIST-int-201

Full details of the Problem Reports can be found at:

<http://www.openmobilealliance.org/OMA-Problem-Reporting-System.html>

6. Confirmation

This signature states that the included information is true and valid.

A handwritten signature in blue ink, appearing to read "OMA Trusted Zone". The signature is written in a cursive style with some vertical strokes.

OMA Trusted Zone

Appendix A. Change History (Informative)

Type of Change	Date	Section	Description
Initial Release	23 rd November 2007	All	First Version from TestFest-21