



# **Enabler Test Report**

## **XML Document Management v1.0**

OMA TestFest (December 2006)  
Version 15-Dec-2006

---

Open Mobile Alliance  
OMA-Enabler\_Test\_Report-XDM-10-2006-12-15

This document is a work in process and is not an approved Open Mobile Alliance™ specification. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

© 2006 Open Mobile Alliance Ltd. All rights reserved.

Terms and conditions of use are available from the Open Mobile Alliance™ Web site at <http://www.openmobilealliance.org/copyright.html>.

You may use this document or any part of the document for internal or educational purposes only, provided you do not modify, edit or take out of context the information in this document in any manner. You may not use this document in any other manner without the prior written permission of the Open Mobile Alliance™. The Open Mobile Alliance authorises you to copy this document, provided that you retain all copyright and other proprietary notices contained in the original materials on any copies of the materials and that you comply strictly with these terms. This copyright permission does not constitute an endorsement of the products or services offered by you.

The Open Mobile Alliance™ assumes no responsibility for errors or omissions in this document. In no event shall the Open Mobile Alliance be liable for any special, indirect or consequential damages or any damages whatsoever arising out of or in connection with the use of this information.

This document is not an Open Mobile Alliance™ specification, is not endorsed by the Open Mobile Alliance and is informative only. This document is subject to revision or removal without notice. No part of this document may be used to claim conformance or interoperability with the Open Mobile Alliance specifications.

Open Mobile Alliance™ members have agreed to use reasonable endeavors to disclose in a timely manner to the Open Mobile Alliance the existence of all intellectual property rights (IPR's) essential to the present document. However, the members do not have an obligation to conduct IPR searches. The information received by the members is publicly available to members and non-members of the Open Mobile Alliance and may be found on the "OMA IPR Declarations" list at <http://www.openmobilealliance.org/ipr.html>. Essential IPR is available for license on the basis set out in the schedule to the Open Mobile Alliance Application Form.

No representations or warranties (whether express or implied) are made by the Open Mobile Alliance™ or any Open Mobile Alliance member or its affiliates regarding any of the IPR's represented on this "OMA IPR Declarations" list, including, but not limited to the accuracy, completeness, validity or relevance of the information or whether or not such rights are essential or non-essential.

This document is available online in PDF format at <http://www.openmobilealliance.org/>.

Known problems associated with this document are published at <http://www.openmobilealliance.org/>.

Comments regarding this document can be submitted to the Open Mobile Alliance™ in the manner published at <http://www.openmobilealliance.org/documents.html>

# Contents

- 1. SCOPE .....4
- 2. REFERENCES.....5
  - 2.1 NORMATIVE REFERENCES .....5
  - 2.2 INFORMATIVE REFERENCES .....5
- 3. TERMINOLOGY AND CONVENTIONS .....6
  - 3.1 CONVENTIONS .....6
  - 3.2 DEFINITIONS.....6
  - 3.3 ABBREVIATIONS .....6
- 4. SUMMARY .....7
- 5. TEST DETAILS.....8
  - 5.1 DOCUMENTATION.....8
  - 5.2 TEST CASE STATISTICS .....9
    - 5.2.1 Test Case Summary.....9
    - 5.2.2 Test Case List.....10
    - 5.2.3 Problem Reports.....22
- 6. CONFIRMATION .....23
- APPENDIX A. CHANGE HISTORY (INFORMATIVE) .....24

# 1. Scope

This report describes the results from the testing carried out at OMA TestFest-17 (December 2006) concerning the XML Document Management version 1.0 Enabler.

## 2. References

### 2.1 Normative References

- [OMAIOPPROC] OMA Interoperability Policy and Process, <http://www.openmobilealliance.org/>
- [EICS] Enabler Implementation Conformance Statement for XML Document Management Client, OMA-EICS-XDM-Client-V1\_0-20060810-A, <http://www.openmobilealliance.org/>  
Enabler Implementation Conformance Statement for XML Document Management Server, OMA-EICS-XDM-Server-V1\_0-20060810-A, <http://www.openmobilealliance.org/>
- [ERELD] Enabler Release Document for XML Document Management, OMA-ERELD-XDM-V1\_0-20060612-A, <http://www.openmobilealliance.org/>
- [ERP] Enabler Release Package for XML Document Management, OMA-ERP-XDM-V1\_0-20060612-A, <http://www.openmobilealliance.org/>
- [ETG] Enabler Test Guidelines for XML Document Management, OMA-Call-Flows-XDM-V1\_0-20050620-A, <http://www.openmobilealliance.org/>
- [ETS] Enabler Test Specification for XML Document Management (Interoperability), OMA-ETS-XDM\_INT-V1\_0-20060530-C, <http://www.openmobilealliance.org/>  
Enabler Test Specification for Push-to-talk Over Cellular XDM (Interoperability), OMA-ETS-PoC\_XDM\_INT-V1\_0-20060613-C, <http://www.openmobilealliance.org/>  
Enabler Test Specification for Presence XDM (Interoperability), OMA-ETS-Presence\_XDM\_INT-V1\_0-20051220-A, <http://www.openmobilealliance.org/>  
Enabler Test Specification for RLS XDM (Interoperability), OMA-ETS-RLS\_XDM\_INT-V1\_0-20051220-A, <http://www.openmobilealliance.org/>

### 2.2 Informative References

- [OMADICT] Dictionary for OMA Specification, OMA-Dictionary  
<http://www.openmobilealliance.org/>

## 3. Terminology and Conventions

### 3.1 Conventions

This is an informative document, i.e. the document does not intend to contain normative statements.

### 3.2 Definitions

User	-	A person using UE.
User[N]	-	A subscriber assigned to UE, where N is an integer number (i.e. User1, User2)
UE[N]	-	A client terminal used for testing where N is an integer number (i.e. UE1, UE2 etc.)
URI List	-	Number of URIs grouped together and as a list confirming to the definition in [OMA-TS_XDM_Shared]
Contact List		PoC Enabler specific usage of a URI List.

### 3.3 Abbreviations

<b>AS</b>	Application Specific Server
<b>CP</b>	Control Plane
<b>EICS</b>	Enabler Implementation Conformance Statement
<b>IMS</b>	IP multimedia subsystem
<b>OMA</b>	Open Mobile Alliance
<b>PoC</b>	Push to Talk over cellular.
<b>SIP</b>	Session Initiation Protocol
<b>UE</b>	User Equipment
<b>XDM</b>	XML Document Management
<b>3GPP</b>	3rd Generation Partnership Project

## 4. Summary

This report gives details of the testing carried out during the OMA TestFest-17 (December 2006) for XDM v1.0.

The report is compiled on behalf of OMA by the OMA Trusted Zone.

The work and reporting has followed the OMA IOP processes and policies [OMAIOPPROC].

## 5. Test Details

### 5.1 Documentation

This chapter lists the details of the enabler and any documentation, tools or test suites used to prove the enabler.

<b>Date:</b>	1st to 8 <sup>th</sup> December 2006
<b>Location:</b>	Montreal, Canada
<b>Enabler:</b>	XDM v1.0
<b>Process:</b>	OMA Interoperability Policy and Process [OMAIOPPROC]
<b>Type of Testing</b>	Interoperability Testing
<b>Products tested:</b>	Client-to-server, Client-to-Client
<b>Test Guidelines:</b>	XDM 1.0 Enabler Test Guidelines [ETG]
<b>Test Specification:</b>	XDM Enabler Test Specification [ETS] OMA-ETS-XDM_INT-V1_0-20060530-C OMA-ETS-RLS_XDM_INT-V1_0-20051220-A OMA-ETS-PoC_XDM_INT-V1_0-20060613-C OMA-ETS-Presence_XDM_INT-V1_0-20051220-A
<b>Test Tool:</b>	None
<b>Test Code:</b>	None
<b>Type of Test event:</b>	TestFest
<b>Participants:</b>	Comneon GmbH, Ericsson AB, Motorola, Inc, Obigo AB, LG Soft India Pvt Ltd, Nokia <i>plus one other participant</i>
<b>Number of Client Products:</b>	4
<b>Participating Technology Providers for clients:</b>	Comneon GmbH, Ericsson AB, Motorola, Inc, Obigo AB
<b>Number of Server Products:</b>	3
<b>Participating Technology Providers for servers:</b>	LG Soft India Pvt Ltd, Nokia <i>plus one other Server</i>
<b>Number of test sessions completed:</b>	26

## 5.2 Test Case Statistics

### 5.2.1 Test Case Summary

This chapter gives an overview of the result for all test cases included in [ETS].

The following status is used in the tables below:

- **Number of test sessions:** Used in the summary to indicate the total number of time slots used for the official testing.
- **Total number of TCs:** Used in the summary to indicate how many test cases there are in total (total number of the interoperability test cases in the ETS).
- **Number of Passed:** Used in the summary to indicate how many test cases have been run and successfully passed.
- **Number of Failed:** Used in the summary to indicate how many test cases have been run and failed (used when the failure reason is known).
- **Number of INC:** Used in the summary to indicate how many test cases have been run and did not pass due to other nature than conclusive implementation or specification failure (e.g.: the failure reason cannot be clearly determined).
- **Number of N/A:** Used in the summary to indicate how many test cases have not be run due to lack of support for the required functionality to run this test case by one or more involved implementations.
- **Number of OT:** Used in the summary to indicate how many test cases have not been run due to lack of time.

Test Section:	Number of test sessions:	Total number of TCs:	Number of Passed:	Number of Failed:	Number of N/A:	Number of OT:	Number of INC:	Total:
Client to Server TCs	26	8	163	5	29	11	0	208
Client to Server to Client TCs	26	43	462	11	132	509	4	1118
<b>Total</b>	<b>26</b>	<b>51</b>	<b>625</b>	<b>16</b>	<b>161</b>	<b>520</b>	<b>4</b>	<b>1326</b>

Table 1. Test Summary Table

### 5.2.2 Test Case List

This chapter lists the statistics for all all interoperability test cases included in [ETS].

The following status is used in the tables below:

- **Runs (R):** Used to indicate the total number of times the test case have been run ( $R = P + F + I$ ).
- **Pass (P):** Used to indicate how many times the test case have been run and successfully passed.
- **Fail (F):** Used to indicate how many times the test cases have been run and failed (used when the failure reason is known).
- **Inconclusive (I):** Used to indicate how many times the test cases have been run and did not pass due to other nature than conclusive implementation or specification failure (e.g.: the failure reason cannot be clearly determined).
- **Not Applicable (N/A):** Used to indicate how many times the test cases have not be run due to lack of support for the required functionality to run this test case by one or more involved implementations.
- **Out of Time (O):** Used to indicate how many times the test cases have not been run due to lack of time.
- **Problem Report (PR):** Used to indicate how many PRs have been issued for the test case.
- **Note:** Used to indicate the cause of the Inconclusive or Failed results.

### Tests for XDM Enabler TestFest Taken From OMA-ETS-XDM\_INT-V1\_0-20060530-C

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
<b>XDM-1.0-int-M-0100</b>	Verify that UE can be successfully authenticated by the Aggregation Proxy when retrieving documents over the XCAP interface. <u>TEST CASE GOAL:</u> Verify that when the UE initiates the communication with an XDMS, the Aggregation Proxy authenticates it.	20	18	2	1	0	5		
<b>XDM-1.0-int-M-0150</b>	Verify that the Aggregation Proxy rejects too many failed authentication attempts by the UE. <u>TEST CASE GOAL:</u> Verify that the client will not be able to access XML documents during the initial communication attempt with an XDMS.	21	21	0	1	0	4		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
XDM-1.0-int-M-0200	<p>Verify that the UE can create and retrieve an XML document from the Shared XDMS.</p> <p><u>TEST CASE GOAL:</u> Verify that the creation of an URI List and/or addition of a member to that list creates an XML document in the Shared XDMS. The created document can be retrieved by the users.</p>	26	26	0	0	0	0		
XDM-1.0-int-M-0201	<p>Verify that the UE can create and retrieve XML elements and attributes from the Shared XDMS.</p> <p><u>TEST CASE GOAL:</u> Add a member to already existing URI List. Verify that the member and the "uri" attribute of the member are created and stored correctly in the Shared XDMS.</p>	26	26	0	0	0	0		
XDM-1.0-int-M-0202	<p>Verify that the user can modify and retrieve an element of an XML document.</p> <p><u>TEST CASE GOAL:</u> Modify a &lt;display-name&gt; element of an existing member in the existing URI List and verify that the URI List's XML document is updated correctly in the Shared XDMS.</p>	26	26	0	0	0	0		
XDM-1.0-int-M-0203	<p>Verify that the user can modify and retrieve an XML document.</p> <p><u>TEST CASE GOAL:</u> Add a member to the existing URI List and verify that the URI List's XML document is updated correctly in the Shared XDMS. The modification of the XML document is achieved with the addition of an &lt;entry&gt; element.</p>	26	26	0	0	0	0		
XDM-1.0-int-M-0204	<p>Verify that a user can modify an XML document by deleting one of its XML elements.</p> <p><u>TEST CASE GOAL:</u> Delete a member of a URI List and verify that the list's XML document stored in the Shared XDMS is updated correctly. The XML document does not contain the element that represents the deleted member.</p>	20	18	2	1	0	5		

Table 2. Test Case Counts

Tests for XDM Enabler TestFest Taken From  
 OMA-ETS-RLS\_XDM\_INT-V1\_0-20051220-A

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
RLS-XDM-1.0-int-0100	Verify that UE can be successfully authenticated by the Aggregation Proxy when retrieving documents over the XCAP interface. <u>TEST CASE GOAL:</u> Verify that when the UE initiates the communication with an XDMS, the Aggregation Proxy authenticates it.	21	21	0	1	0	4		
RLS-XDM-1.0-int-0150	Verify that the Aggregation Proxy rejects too many failed authentication attempts by the UE. <u>TEST CASE GOAL:</u> Verify that the client will not be able to access XML documents during the initial communication attempt with an XDMS.	25	25	0	1	0	0		
RLS-XDM-1.0-int-0200	Verify that the user can create and retrieve an XML document from the RLS XDMS. <u>TEST CASE GOAL:</u> Verify creation and retrieval of Presence Lists document. This test case is for the UEs that are able to create the Presence Lists document.	25	25	0	1	0	0		
RLS-XDM-1.0-int-0201	Verify that the user can retrieve an XML document from the RLS XDMS. <u>TEST CASE GOAL:</u> Verify retrieval of Presence Lists document.	18	18	0	2	0	6		
RLS-XDM-1.0-int-0202	Verify that the UE can create and retrieve XML elements from the RLS XDMS. <u>TEST CASE GOAL:</u> Add an additional rule to already existing Presence Lists document stored in the RLS XDMS. Verify that the Presence Lists document has been updated correctly in the RLS XDMS.	12	12	0	1	0	13		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
RLS-XDM-1.0-int-0203	Verify that the UE can modify and retrieve XML elements and documents from the RLS XDMS. <u>TEST CASE GOAL:</u> Modify and retrieve an already existing service element in Presence Lists document stored in the RLS XDMS. Verify that the services has been updated correctly in the RLS XDMS.	18	18	0	2	0	6		
RLS-XDM-1.0-int-0204	Verify that the UE can delete XML elements from the RLS XDMS. <u>TEST CASE GOAL:</u> Delete a service from the Presence Lists document stored in the RLS XDMS and verify that the service is removed from the RLS XDMS.	14	14	0	1	0	11		
RLS-XDM-1.0-int-0205	Verify that the UE can delete an XML document from the RLS XDMS. <u>TEST CASE GOAL:</u> Delete the Presence Lists document stored in the RLS XDMS and verify that the document no longer exists in the RLS XDMS.	24	24	0	0	0	2		

Table 3. Test Case Counts

Tests for XDM Enabler TestFest Taken From

OMA-ETS-PoC\_XDM\_INT-V1\_0-20060613-C

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
PoC-XDM-1.0-int-0100	Verify that UE can be successfully authenticated by the Aggregation Proxy when retrieving documents over the XCAP interface. <u>TEST CASE GOAL:</u> Verify that when the UE initiates the communication with an XDMS, the Aggregation Proxy authenticates it.	20	18	2	2	0	4		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
PoC-XDM-1.0-int-0150	<p>Verify that the Aggregation Proxy rejects too many failed authentication attempts by the UE.</p> <p><u>TEST CASE GOAL:</u> Verify that the client will not be able to access XML documents during the initial communication attempt with an XDMS.</p>	21	21	0	2	0	3		
PoC-XDM-1.0-int-0200	<p>Verify that the user can create and retrieve an XML document from the PoC XDMS.</p> <p><u>TEST CASE GOAL:</u> Verify that the creation of a group and/or addition of a member to the group creates an XML document in the PoC XDMS that can be retrieved by the users.</p>	24	24	0	2	0	0		
PoC-XDM-1.0-int-0201	<p>Verify that the UE can create and retrieve XML elements and attributes from the PoC XDMS.</p> <p><u>TEST CASE GOAL:</u> Add a member to already existing group. Verify that the member and the "uri" attribute of the member are created and stored correctly in the PoC XDMS.</p>	24	24	0	2	0	0		
PoC-XDM-1.0-int-0202	<p>Verify that the user can modify and retrieve an XML document by modifying its element.</p> <p><u>TEST CASE GOAL:</u> Modify a &lt;display-name&gt; element of an existing member in the existing group and verify that the list's XML document is updated correctly in the PoC XDMS.</p>	19	19	0	5	0	2		
PoC-XDM-1.0-int-0203	<p>Verify that the user can modify and retrieve an XML document and an element of an XML document.</p> <p><u>TEST CASE GOAL:</u> Add a member to the existing group and verify that the group's XML document is updated correctly in the PoC XDMS. Modification of the document is achieved by adding a new element to it.</p>	19	19	0	6	0	1		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
PoC-XDM-1.0-int-0204	Verify that a user can delete an element from an XML document. <u>TEST CASE GOAL:</u> Delete a member of a group and verify that the group's XML document in the XDMS is updated correctly and does not contain the element that represents the deleted member.	19	17	2	7	0	0		
PoC-XDM-1.0-int-0205	Verify that a user can delete an XML document from the XDMS. <u>TEST CASE GOAL:</u> Delete a "list-service" document describing a group from the PoC XDMS.	19	17	2	7	0	0		
PoC-XDM-1.0-int-0500	Verify that user is able to create multiple PoC Group documents. <u>TEST CASE GOAL:</u> Verify that multiple XML PoC group documents can be created in XDMS and retrieved from the XDMS by the user.	16	16	0	10	0	0		
PoC-XDM-1.0-int-0501	Verify that duplicate entry validation constraints is supported by the User and the PoC XDMS for the PoC Group document. <u>TEST CASE GOAL:</u> Verify that the user cannot add the same member to the same group twice. The PoC XDMS needs to validate the "Duplicate Entry" constraint and respond appropriately to the user. The UE needs to handle the response from the XDMS server correctly.	8	5	3	10	0	8		
PoC-XDM-1.0-int-0502	Verify that the exceeding maximum participants count validation constraint is supported by the User and the PoC XDMS for the PoC Group document. <u>TEST CASE GOAL:</u> Verify that PoC XDMS is able to interpret the <max-participant-count> element correctly when set to the value greater than PoC XDMS maximum value.	8	6	2	11	0	7		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
PoC-XDM-1.0-int-0503	<p>Verify the usage of &lt;invite-members&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs supporting &lt;invite-members&gt; element can set and store the element correctly in PoC XDMS. Verify that PoC Server is able to read the element correctly from PoC XDMS and interpret it correctly.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0504	<p>Verify the usage of &lt;invite-members&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;invite-members&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0505	<p>Verify the usage of &lt;max-participants-count&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;max-participant-count&gt; element can set and store the element correctly in PoC XDMS.</p>	4	4	0	22	0	0		
PoC-XDM-1.0-int-0506	<p>Verify the usage of &lt;join-handling&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;join-handling&gt; element can set and store the element correctly in PoC XDMS. &lt;join-handling&gt; element is a child of &lt;action&gt; element. &lt;action&gt; element is a child element of &lt;rules&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0507	<p>Verify the usage of &lt;join-handling&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;join-handling&gt; element.</p>	0	0	0	26	0	0		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
PoC-XDM-1.0-int-0508	<p>Verify the usage of &lt;allow-initiate-conference&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;allow-initiate-conference&gt; element can set and store the element correctly in PoC XDMS. &lt;allow-initiate-conference&gt; element is a child of &lt;action&gt; element. &lt;action&gt; element is a child element of &lt;rules&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0509	<p>Verify the usage of &lt;allow-initiate-conference&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;allow-initiate-conference&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0510	<p>Verify the usage of &lt;invite-additional-users-dynamically&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;invite-additional-users-dynamically&gt; element can set and store the element correctly in PoC XDMS. &lt;invite-additional-users-dynamically&gt; element is a child of &lt;action&gt; element. &lt;action&gt; element is a child element of &lt;rules&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0511	<p>Verify the usage of &lt;invite-additional-users-dynamically&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;invite-additional-users-dynamically&gt; element.</p>	0	0	0	26	0	0		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
PoC-XDM-1.0-int-0512	<p>Verify the usage of &lt;allow-anonymity&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;allow-anonymity&gt; element can set and store the element correctly in PoC XDMS. &lt;allow-anonymity&gt; element is a child of &lt;action&gt; element. &lt;action&gt; element is a child element of &lt;rules&gt; element</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0513	<p>Verify the usage of &lt;allow-anonymity&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;allow-anonymity&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0514	<p>Verify the usage of &lt;allow-conference-state&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;allow-conference-state&gt; element can set and store the element correctly in PoC XDMS. &lt;allow-conference-state&gt; element is a child of &lt;action&gt; element. &lt;action&gt; element is a child element of &lt;rules&gt; element</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0515	<p>Verify the usage of &lt;allow-conference-state&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;allow-conference-state&gt; element.</p>	0	0	0	26	0	0		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
PoC-XDM-1.0-int-0516	<p>Verify the usage of &lt;is-key-participant&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;is-key-participant&gt; element can set and store the element correctly in PoC XDMS. &lt;is-key-participant&gt; element is a child of &lt;action&gt; element. &lt;action&gt; element is a child element of &lt;rules&gt; element</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0517	<p>Verify the usage of &lt;is-key-participant&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;is-key-participant&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0600	<p>Verify the usage of &lt;allow-invite&gt; element in the PoC User Access Policy document.</p> <p>TEST CASE GOAL: Verify that the UEs that support &lt;allow-invite&gt; element can set and store the element correctly in PoC XDMS. &lt;allow-invite&gt; element is a child of &lt;action&gt; element. &lt;action&gt; element is a child element of &lt;rules&gt; element.</p>	0	0	0	26	0	0		
PoC-XDM-1.0-int-0601	<p>Verify the usage of &lt;allow-invite&gt; element in the PoC Group document.</p> <p>TEST CASE GOAL: Verify that PoC XDMS and the UEs can interpret correctly the default value of the &lt;allow-invite&gt; element.</p>	0	0	0	26	0	0		

Table 4. Test Case Counts

**Tests for XDM Enabler TestFest Taken From  
OMA-ETS-Presence\_XDM\_INT-V1\_0-20051220-A**

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
Presence-XDM-1.0-int-0100	<p>Verify that UE can be successfully authenticated by the Aggregation Proxy when retrieving documents over the XCAP interface.</p> <p><u>TEST CASE GOAL:</u> Verify that when the UE initiates the communication with an XDMS, the Aggregation Proxy authenticates it.</p>	19	18	1	2	0	5		
Presence-XDM-1.0-int-0150	<p>Verify that the Aggregation Proxy rejects too many failed authentication attempts by the UE.</p> <p><u>TEST CASE GOAL:</u> Verify that the client will not be able to access XML documents during the initial communication attempt with an XDMS.</p>	21	21	0	1	0	4		
Presence-XDM-1.0-int-0200	<p>Verify that the user can create and retrieve an XML document from the Presence XDMS.</p> <p><u>TEST CASE GOAL:</u> Verify creation and retrieval of Presence Authorization Rules document. This test case is for the UEs that are able to create the Presence Authorization Rules document.</p>	15	15	0	0	0	11		
Presence-XDM-1.0-int-0201	<p>Verify that the user can retrieve an XML document from the Presence XDMS.</p> <p><u>TEST CASE GOAL:</u> Verify retrieval of Presence Authorization Rules document.</p>	14	14	0	0	0	12		

Test Case id:	Description:	Test Counts						PR:	Note:
		R	P	F	O	I	N/A		
Presence-XDM-1.0-int-0202	<p>Verify that the UE can create and retrieve XML elements from the Presence XDMS.</p> <p><u>TEST CASE GOAL:</u> Add an additional rule to already existing Presence Authorization Rules document stored in the Presence XDMS. Verify that the Presence Authorization Rules document has been updated correctly in the Presence XDMS.</p>	14	13	0	0	1	12		
Presence-XDM-1.0-int-0203	<p>Verify that the UE can modify and retrieve XML elements and documents from the Presence XDMS.</p> <p><u>TEST CASE GOAL:</u> Modify and retrieve an already existing rule in Presence Authorization Rules document stored in the Presence XDMS. Verify that the rule has been updated correctly in the Presence XDMS.</p>	13	12	0	1	1	12		
Presence-XDM-1.0-int-0204	<p>Verify that the UE can delete XML elements from the Presence XDMS.</p> <p><u>TEST CASE GOAL:</u> Delete a rule from the Presence Authorization Rules document stored in the Presence XDMS and verify that the rule is removed from the Presence XDMS.</p>	13	12	0	1	1	12		
Pre6ence-XDM-1.0-int-0205	<p>Verify that the UE can delete an XML document from the Presence XDMS.</p> <p><u>TEST CASE GOAL:</u> Delete the Presence Authorization Rules document stored in the Presence XDMS and verify that the document no longer exists in the Presence XDMS.</p>	13	12	0	1	1	12		

Table 5. Test Case Counts

### 5.2.3 Problem Reports

During the activities for TestFest-17, the following problem reports were generated relating to the test materials and test process:

<b>PR Number</b>	<b>Affecting</b>	<b>Description</b>	<b>Test Case reference / Specification reference</b>
0026	Specification	Test case presents a problem when the implemented service tries to lower the amount of traffic to the server.	OMA-ETS-XDM-V1_0-20050719-D(PoC-XDM-1.0-int-0501)/OMA-TS-XDM_Core-V1_0-20050415-C(6.2.1.2)
0027	Specification	Problems with server only working with global addressing and client using local addressing.	OMA-TS-XDM_Core-V1_0-20060214-C (6.1.1.24)

Full details of all Problem Reports can be found at:

<http://www.openmobilealliance.org/OMA-Problem-Reporting-System.html>

## 6. Confirmation

This signature states that the included information is true and valid.

A handwritten signature in black ink, appearing to read "Alan P. [unclear]". The signature is written in a cursive style with a long horizontal stroke at the end.

---

OMA Trusted Zone

## Appendix A. Change History (Informative)

Type of Change	Date	Section	Description
Initial Version	15th December 2006	All	First Version from TestFest-17